19 USPQ2d

any proven

the proven harm both the striking 9 to the Dove and ips are advertised s a general matter ize the degree of ed on LTS espented status of its is inadequate to : falls short of an ainst importation its current form. LTS has not affirarrower remedies the serious prosr confusion about ponsorship of the

ficers, agents and acting in concert gents and employing the pendency of g or causing to be States, and from comoting, or causing promoted in the identified by LTS LTS-614 and the

ion of whether the iciently broad to of the same lamp infringe the trade of the prior history Dove trade dress, cluded and should the scope of the broadly worded er future infringeof the Dove, e.g. Elegra Inc., 690 propriate. First, it utility in defining of prohibited conive the undesired om continuing to ig lamps that may products already e the likelihood of court will instead s, agents and emag in concert with its and employees g the pendency of g or causing to be States, and from comoting, or causor promoted in the esk lamp incorpofeatures of the LTS-614, the LTS-619 or the Dove, without giving PAF, by its counsel, two weeks written notice before any importation, distribution, sale or promotion, with such notice to include a clear photograph of the new lamp as seen in profile, from the front and from the rear.

PAF is directed to settle an appropriate order within three (3) days embodying the foregoing terms. LTS is to serve and file with the Court within the same time period, one or more affidavits addressing the appropriate amount, if any, of a bond.

SO ORDERED.

Court of Appeals, Federal Circuit

Vas-Cath Inc. v. Mahurkar Nos. 90-1528, 91-1032 Decided June 7, 1991

JUDICIAL PRACTICE AND PROCEDURE

1. Procedure — Summary judgment — In general (§410.3301)

Procedure — Judicial review — Standard of review — In general (§410.4607.01)

Court of appeals, in reviewing grant of summary judgment, is not bound by federal district court's holding that no material facts are in dispute, and must make independent determination as to whether standards for summary judgment have been met.

PATENTS

2. Patentability/Validity — Specification — Written description (§115.1103)

"Written description" of invention required by first paragraph of 35 USC 112 is separate and distinct from that paragraph's requirement of enabling disclosure, since description must do more than merely provide explanation of how to "make and use" invention; applicant must also convey, with reasonable clarity to those skilled in art, that applicant, as of filing date sought, was in possession of invention, with invention being, for purposes of "written description" inquiry, whatever is presently claimed.

3. Practice and procedure in Patent and Trademark Office — Prosecution — Drawings (§110.0920)

Patentability/Validity — Specification — Written description (§115.1103)

Drawings alone may, under proper circumstances, provide "written description" of

invention required by 35 USC 112, and whether drawings are from design application or utility application is not determinative.

4. Patentability/Validity — Specification — Written description (§115.1103)

Federal district court erred by requiring drawings from design patent application to "describe what is novel or important" about invention in order to satisfy "written description" requirement of 35 USC 112 for later-filed utility patent on double lumen catheter having combination of features, since there is no legally cognizable or protected "essential" element, "gist" or "heart" of invention in combination patent; rather, invention is defined by claims under consideration.

5. Patentability/Validity — Specification — Written description (§115.1103)

Federal district court erred by considering patents granted to applicant after utility patents containing claims in question in determining whether drawings from design application satisfy "written description" requirement of 35 USC 112 for those claims, since later patenting of inventions having different specifications is irrelevant to determination of Section 112 sufficiency of application in question, which must be judged as of its filing date.

6. Patentability/Validity — Specification — Written description (§115.1103)

Federal district court erred by imposing legal standard that essentially required drawings from design application for double lumen catheter to necessarily exclude all diameters of lumens, other than those within range specified by subsequently-filed utility claims, in order to satisfy "written description" requirement of 35 USC 112 for those claims, since proper test is whether drawings conveyed, with reasonable clarity to those of ordinary skill in art, that applicant had in fact invented catheter having return lumen of diameter within claimed range; defendant's submission of expert's declaration stating that person of ordinary skill viewing drawings would be able to derive claimed range therefrom, and plaintiff's failure to refute such declaration, therefore gave rise to genuine issue of material fact inappropriate for summary disposition.

Particular patents — General and mechanical — Catheters

4,568,329, Mahurkar, double lumen catheter, summary judgment of invalidity reversed.

4,692,141, Mahurkar, double lumen catheter, summary judgment of invalidity reversed.

Appeal from the U.S. District Court for the Northern District of Illinois, Easterbrook, J.; 17 USPQ2d 1353.

Action by Vas-Cath Inc. and Gambro Inc. against Sakharam D. Mahurkar and Quinton Instruments Co., for declaratory judgment of patent non-infringement, in which defendants counterclaim for patent infringement. From entry of summary judgment holding patents invalid, defendants appeal. Reversed and remanded.

William L. Mentlik, of Lerner, David, Littenberg, Krumholz & Mentlik (Roy H. Wepner, John R. Nelson, and Joseph S. Littenberg, with him on brief), Westfield, N.J., for plaintiffs-appellees.

Raymond P. Niro, of Niro, Scavone, Haller & Niro, Chicago, Ill. (Joseph N. Hosteny and John C. Janka, with him on brief; Michael P. Mazza, of counsel); Michael J. Sweedler, of Darby & Darby, New York, N.Y., for defendants-appellants.

Before Rich, Michel, and Plager, circuit judges.

Rich, J.


Sakharam D. Mahurkar and Quinton Instruments Company (collectively Mahur-kar) appeal from the September 12, 1990 partial final judgment of the United States District Court for the Northern District of Illinois, Easterbrook, J., sitting by designation, in Case No. 88 C 4997. Granting partial summary judgment to Vas-Cath Incorporated and its licensee Gambro, Inc. (collectively Vas-Cath), the district court declared Mahurkar's two United States utility patents Nos. 4,568,329 ('329 patent) and 4,692,141 ('141 patent), titled "Double Lumen Catheter," invalid as anticipated under 35 USC 102(b). In reaching its decision, reported at 745 F.Supp. 517, 17 USPQ2d 1353, the district court concluded that none of the twenty-one claims of the two utility patents was entitled, under 35 USC 120, to the benefit of the filing date of Mahurkar's earlier-filed United States design patent ap-

'The district court directed entry of final judgment as to the issue of patent invalidity pursuant to Fed.R.Civ.P. 54(b).

plication Serial No. 356,081 ('081 design application), which comprised the same drawings as the utility patents, because the design application did not provide a "written description of the invention" as required by 35 USC 112, first paragraph. We reverse the grant of summary judgment with respect to all claims.

BACKGROUND

Sakharam Mahurkar filed the '081 design application, also titled "Double Lumen Catheter," on March 8, 1982. The application was abandoned on November 30, 1984. Figures 1-6 of the '081 design application are reproduced at right [below].



As shown, Mahurkar's catheter comprises a pair of tubes (lumens) designed to allow blood to be removed from an artery, processed in an apparatus that removes impurities, and returned close to the place of removal. Prior art catheters utilized concentric circular lumens, while Mahurkar's employs joined semi-circular tubes that come to a single tapered tip. Advantageously, the puncture area of Mahurkar's semicircular catheter is 42% less than that of a coaxial catheter carrying the same quantity of blood, and its conical tip yields low rates of injury to the blood. The prior art coaxial catheters are now obsolete; Mahurkar's catheters appear to represent more than half of the world's sales. 745 F.Supp. at 520, 17 USPQ2d at 1353-54.

After filing the '081 design application, Mahurkar also filed a Canadian Industrial Design application comprising the same

drawings plus addition: On August 9, 1982, Design 50,089 (Canac that application.

19 USPQ2d

More than one year 1984, Mahurkar filed t patent applications the the patents now on at utility applications incl ings as the '081 design No. 656,601 ('601 claimed the benefit of '081 design application nated a "continuation" Action mailed June 6, Trademark Office (P7 that "the prior applicat cation," but did not d application was entitled January 29, 1986, Mah 823,592 ('592 utility claiming the benefit of '081 design application plication was denomina the '601 utility applic action mailed April 1, stated that the '592 ut "considered to be fully cant's parent application March 8, 1982 [the tion]." The '601 and '59 issued in 1986 and 198 '329 and '141 patents, appeal. The independer ents are set forth in the

Vas-Cath sued Mah seeking a declaratory catheters it manufactu Mahurkar's '329 and Vas-Cath's complaint al the '329 and '141 pater as anticipated under Canadian '089. Vas-Ca ory was premised on the '329 and '141 patents we 35 USC 120 to the fil

Date in the United State ours): An application for p disclosed in the manne.

paragraph of section 1 application previously States, or as provided title, which is filed by a

² The utility patent drav al but minor shading and } numerals not present in

drawings.
Vas-Cath's apprehensi arose from a 1988 Canadi Mahurkar for infringemen Section 120, titled "B

19 USPQ2d

ie '081 design uble Lumen The applicaber 30; 1984. pplication are

D

FIG. 6

eter comprises igned to allow n artery, promoves impuriplace of removed concentric rkar's employs lat come to a ageously, the s semicircular it of a coaxial antity of blood, ites of injury to il catheters are theters appear of the world's 7 USPQ2d at

an application, iian Industrial ing the same drawings plus additional textual description. On August 9, 1982, Canadian Industrial Design 50,089 (Canadian '089) issued on that application.

More than one year later, on October 1, 1984, Mahurkar filed the first of two utility patent applications that would give rise to the patents now on appeal. Notably, both utility applications included the same drawings as the '081 design application.' Serial No. 656,601 ('601 utility application) claimed the benefit of the filing date of the '081 design application, having been denominated a "continuation" thereof. In an Office Action mailed June 6, 1985, the Patent and Trademark Office (PTO) examiner noted that "the prior application is a design application," but did not dispute that the '601 application was entitled to its filing date. On January 29, 1986, Mahurkar filed Serial No. 823,592 ('592 utility application), again claiming the benefit of the filing date of the '081 design application (the '592 utility application was denominated a continuation of the '601 utility application). In an office action mailed April 1, 1987, the examiner stated that the '592 utility application was "considered to be fully supported by applicant's parent application SN 356,081 filed March 8, 1982 [the '081 design application]." The '601 and '592 utility applications issued in 1986 and 1987, respectively, as the '329 and '141 patents, the subjects of this appeal. The independent claims of both patents are set forth in the Appendix hereto.

Vas-Cath sued Mahurkar in June 1988, seeking a declaratory judgment that the catheters it manufactured did not infringe Mahurkar's '329 and '141 utility patents.3 Vas-Cath's complaint alleged, inter alia, that the '329 and '141 patents were both invalid as anticipated under 35 USC 102(b) by Canadian '089. Vas-Cath's anticipation theory was premised on the argument that the '329 and '141 patents were not entitled under 35 USC 120 to the filing date of the '081

design application because its drawings did not provide an adequate "written description" of the claimed invention as required by 35 USC 112, first paragraph.

Mahurkar counterclaimed, alleging infringement. Both parties moved for summary judgment on certain issues, including validity. For purposes of the summary judgment motion, Mahurkar conceded that, if he could not antedate it, Canadian '089 would represent an enabling and thus anticipating \$102(b) reference against the claims of his '329 and '141 utility patents. 745 F.Supp. at 521, 17 USPQ2d at 1355. Vas-Cath conceded that the '081 design drawings enabled one skilled in the art to practice the claimed invention within the meaning of 35 USC 112, first paragraph. Id. Thus, the question before the district court was whether the disclosure of the '081 design application, namely, the drawings without more, adequately meets the "written description" quirement also contained in §112, first paragraph, so as to entitle Mahurkar to the benefit of the 1982 filing date of the '081 design application for his two utility patents and thereby antedates Canadian '089.

Concluding that the drawings do not do so, and that therefore the utility patents are anticipated by Canadian '089, the district court held the '329 and '141 patents wholly invalid under 35 USC 102 (b), id. at 524, 17 USPQ2d at 1358, and subsequently granted Mahurkar's motion for entry of a partial final judgment under Fed.R.Civ.P. 54(b) on the validity issue. This appeal followed.

DISCUSSION

The issue before us is whether the district court erred in concluding, on summary judgment, that the disclosure of the '081 design application does not provide a §112, first paragraph "written description" adequate to support each of the claims of the '329 and '141 patents. If the court so erred as to any of the 21 claims at issue, the admittedly anticipatory disclosure of Canadian '089 will have been antedated (and the basis for the court's

² The utility patent drawings contain additional but minor shading and lead lines and reference numerals not present in the design application

drawings.

Vas-Cath's apprehension of suit apparently arose from a 1988 Canadian action instituted by Mahurkar for infringement of Canadian '089.

^{*}Section 120, titled "Benefit of Earlier Filing Date in the United States," provides (emphasis

An application for patent for an invention disclosed in the manner provided by the first paragraph of section 112 of this title in an application previously filed in the United States, or as provided by section 363 of this title which is filed by an inventor or inventor. title, which is filed by an inventor or inventors

named in the previously filed application shall have the same effect as to such invention, as though filed on the date of the prior application, if filed before the patenting or abandonment of or termination of proceedings on the first application or on an application similarly entitled to the benefit of the filing date of the first application and if it contains or is amended to contain a specific reference to the earlier filed application.

grant of summary judgment nullified) as to those claims.

[1] In reviewing the district court's grant of summary judgment, we are not bound by its holding that no material facts are in dispute, and must make an independent determination as to whether the standards for summary judgment have been met. C.R. Bard, Inc. v. Advanced Cardiovascular Systems, 911 F.2d 670, 673, 15 USPQ2d 1540, 1542-43 (Fed. Cir. 1990). Summary judgment will not lie if the dispute about a material fact is "genuine," that is, if the evidence is such that a reasonable jury could return a verdict for the nonmoving party. Anderson v. Liberty Lobby, Inc., 477 U.S. 242, 248 (1986).

The "Written Description" Requirement of §112

The first paragraph of 35 USC 112 re-

quires that

[t] he specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

(Emphasis added). Application of the "written description" requirement, derived from the portion of §112 emphasized above, is central to resolution of this appeal. The district court, having reviewed this court's decisions on the subject, remarked that "[u]nfortunately, it is not so easy to tell what the law of the Federal Circuit is." 745 F.Supp. at 522, 17 USPQ2d at 1356. Perhaps that is so, and, therefore, before proceeding to the merits, we review the case law development of the "written description" requirement with a view to improving the situation.

The cases indicate that the "written description" requirement most often comes into play where claims not presented in the application when filed are presented thereafter. Alternatively, patent applicants often seek the benefit of the filing date of an earlier-filed foreign or United States application under 35 USC 119 or 35 USC 120, respectively, for claims of a later-filed application. The question raised by these situa-

tions is most often phrased as whether the application provides "adequate support" for the claim(s) at issue; it has also been analyzed in terms of "new matter" under 35 USC 132. The "written description" question similarly arises in the interference context, where the issue is whether the specification of one party to the interference can support the claim(s) corresponding to the count(s) at issue, i.e., whether that party "can make the claim" corresponding to the interference count.

To the uninitiated, it may seem anomalous that the first paragraph of 35 USC 112 has been interpreted as requiring a separate "description of the invention," when the invention is, necessarily, the subject matter defined in the claims under consideration. See In re Wright, 866 F.2d 422, 424, 9 USPQ2d 1649, 1851 (Fed. Cir. 1989). One may wonder what purpose a separate "written description" requirement serves, when the second paragraph of §112 expressly requires that the applicant conclude his specification "with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention."

One explanation is historical: the "written description" requirement was a part of the patent statutes at a time before claims were required. A case in point is Evans v. Eaton, 20 U.S. (7 Wheat.) 356 (1822), in which the Supreme Court affirmed the circuit court's decision that the plaintiff's patent was "deficient," and that the plaintiff could not recover for infringement thereunder. The patent laws then in effect, namely the Patent Act of 1793, did not require claims, but did require, in its 3d section, that the patent applicant "deliver a written description of his invention, and of the manner of using, or process of compounding, the same, in such full, clear and exact terms, as to distinguish the same from all things before known, and to enable any person skilled in the art or science of which it is a branch, or with which it is most nearly connected, to make, compound and use the same..." Id. at 430. In view of this language, the Court concluded that the specification of a patent had two objects, the first of which was "to enable artizans to make and use [the invention]..." Id. at 433. The second object of the specification

to put the public in possession of what the party claims as his own invention, so as to ascertain if he claims anything that is in common use, or is already known, and to guard against prejudice or injury from the use of an invention which the party may otherwise innocently suppose not to be

patented. It is, ther

A second, policy-be inclusion in §112 of be "written description" graph "definiteness" forth in Rengo Co. v. A F.2d 535, 551, 211 Cir.), cert. denied, 45-[T]here is a subtle the policies underly

the policies underlyidefiniteness requiredards, while complisabilities against the insuch detail that he determined to be original creation. The ment shapes the fut other than the invettey receive notice patented device.

With respect to the \$112 the severability of tion" provision from it and use") provision we court's predecessor, the and Patent Appeals, and Patent Although the and presumed that the from was based on the ment of \$112, id. at 9 the court disagreed:

[T]he question is not in the art] would be er the specificatio pound to him, spec appellants actually rejection is] based the requirement the cation shall contain of the invention **

of the invention **
Id. at 995-96, 154 Use phasis added). The iss was one of fact: "Does vey clearly to those whom it is addressed, mation that appellants

of warning an innocuperson using a mament of the patent; of taking from the practising upon the of other persons, beinvention is more the different from its of the patentee is required invention in his specific at 434.

A second, policy-based and policy-based at 434.

⁹ For additional background, see Rollins, "35 USC 120 — The Description Requirement," 64 J. Pat. Off. Soc'y 656 (1982); Walterscheid, "Insufficient Disclosure Rejections (Part III)," 62 J. Pat. Off. Soc'y 261 (1980).

ed as whether the

quate support" for

nas also been ana-

matter" under 35 description" ques-

: interference con-

ether-the specifica-

: interference can

responding to the

hether that party

rresponding to the

1y seem anomalous

f 35 USC 112 has

ing a separate "de-

' when the inven-

subject matter de-

consideration. See

2, 424, 9 USPQ2d

39). One may won-

arate "written de-

rves, when the sec-

expressly requires

de his specification

particularly point-

niming the subject

ant regards as his

orical: the "written

was a part of the

before claims were

is Evans v. Eaton,

1822), in which the

the circuit court's

's patent was "defi-

tiff could not recov-

under. The patent

y the Patent Act of

ms, but did require.

e patent applicant

ption of his inven-

of using, or process

e, in such full, clear

stinguish the same

own, and to enable

e art or science of

ith which it is most

ke, compound and

430. In view of this

oncluded that the

and two objects, the

enable artizans to

ntion]. ..." Id. at of the specification

session of what the

invention, so as to

patented. It is, therefore, for the purpose of warning an innocent purchaser, or other person using a machine, of his infringement of the patent; and at the same time, of taking from the inventor the means of practising upon the credulity or the fears of other persons, by pretending that his invention is more than what it really is, or different from its ostensible objects, that the patentee is required to distinguish his invention in his specification.

Id. at 434.

A second, policy-based rationale for the inclusion in §112 of both the first paragraph "written description" and the second paragraph "definiteness" requirements was set forth in Rengo Co. v. Molins Mach. Co., 657 F.2d 535, 551, 211 USPQ 303, 321 (3d Cir.), cert. denied, 454 U.S. 1055 (1981):

[T]here is a subtle relationship between the policies underlying the description and definiteness requirements, as the two standards, while complementary, approach a similar problem from different directions. Adequate description of the invention guards against the inventor's overreaching by insisting that he recount his invention in such detail that his future claims can be determined to be encompassed within his original creation. The definiteness requirement shapes the future conduct of persons other than the inventor, by insisting that they receive notice of the scope of the patented device.

With respect to the first paragraph of \$112 the severability of its "written description" provision from its enablement ("make and use") provision was recognized by this court's predecessor, the Court of Customs and Patent Appeals, as early as In re Ruschig, 379 F.2d 990, 154 USPQ 118 (CCPA 1967). Although the appellants in that case had presumed that the rejection appealed from was based on the enablement requirement of \$112, id. at 995, 154 USPQ at 123,

the court disagreed:

(i. [T]he question is not whether [one skilled in the art] would be so enabled but whether er the specification discloses the compound to him, specifically, as something appellants actually invented. . . . If [the rejection is] based on section 112, it is on the requirement thereof that "The specification shall contain a written description of the invention * * *." (Emphasis ours.)

Id, at 995-96, 154 USPQ at 123 (first emphasis added). The issue, as the court saw it, was one of fact: "Does the specification convey clearly to those skilled in the art, to whom it is addressed, in any way, the information that appellants invented that specific

compound [claimed]?" Id. at 996, 154 USPO at 123.

In a 1971 case again involving chemical subject matter, the court expressly stated that "it is possible for a specification to enable the practice of an invention as broadly as it is claimed, and still not describe that invention." In re DiLeone, 436 F.2d 1404, 1405, 168 USPQ 592, 593 (CCPA 1971) (emphasis added). As an example, the court posited the situation "where the specification discusses only compound A and contains no broadening language of any kind. This might very well enable one skilled in the art to make and use compounds B and C; yet the class consisting of A, B and C has not been described." Id. at 1405 n.1, 168 USPQ 593 n.1 (emphases in original). See also In re Ahlbrecht, 435 F.2d 908, 911, 168 USPQ 293, 296 (CCPA 1971) (although disclosure of parent application may have enabled production of claimed esters having 2-12 methylene groups, it only described esters having 3-12 methylene groups).

The CCPA also recognized a subtle distinction between a written description adequate to support a claim under §112 and a written description sufficient to anticipate its subject matter under §102(b). The difference between "claim-supporting disclosures" and "claim-anticipating disclosures" was dispositive in In re Lukach, 442 F.2d 967, 169 USPQ 795 (CCPA 1971), where the court held that a U.S. "grandparent" application did not sufficiently describe the later--claimed invention, but that the appellant's intervening British application, a counterpart to the U.S. application, anticipated the claimed subject matter. As the court pointed out, "the description of a single embodiment of broadly claimed subject matter constitutes a description of the invention for anticipation purposes . . ., whereas the same information in a specification might not alone be enough to provide a description of that invention for purposes of adequate disclosure. . . . Id. at 970, 169 USPQ at 797 (citations

The purpose and applicability of the "written description" requirement were addressed in *Inre Smith and Hubin*, 481 F.2d 910, 178 USPQ 620 (CCPA 1973), where the court stated:

Satisfaction of the description requirement insures that subject matter presented in the form of a claim subsequent to the filing date of the application was sufficiently disclosed at the time of filing so that the prima facie date of invention can fairly be held to be the filing date of the application. This concept applies whether

anything that is in ady known, and to e or injury from the nich the party may suppose not to be

the case factually arises out of an assertion of entitlement to the filing date of a previously filed application under §120... or arises in the interference context wherein the issue is support for a count in the specification of one or more of the parties ... or arises in an ex parte case involving a single application, but where the claim at issue was filed subsequent to the filing of the application...

Id. at 914, 178 USPQ at 623-24 (citations

omitted).

The CCPA's "written description" cases often stressed the fact-specificity of the issue. See, e.g., In re Wertheim, 541 F.2d 257, 262, 191 USPQ 90, 96 (CCPA 1976) ("The primary consideration is factual and depends on the nature of the invention and the amount of knowledge imparted to those skilled in the art by the disclosure") (emphasis in original); In re Smith, 458 F.2d 1389, 1395, 173 USPQ 679, 683 (CCPA 1972) ("Precisely how close the description must come to comply with §112 must be left to case-by-case development"); DiLeone, 438 F.2d at 1405, 168 USPQ at 593 ("What is needed to meet the description requirement will necessarily vary depending on the nature of the invention claimed"). The court even went so far as to state:

[1]t should be readily apparent from recent decisions of this court involving the question of compliance with the description requirement of §112 that each case must be decided on its own facts. Thus, the precedential value of cases in this area is

extremely limited.

In re Driscoll, 562 F.2d 1245, 1250, 195

USPQ 434, 438 (CCPA 1977).

Since its inception, the Court of Appeals for the Federal Circuit has frequently addressed the "written description" requirement of §112.6 A fairly uniform standard

*See, Chester v. Miller, 906 F.2d 1574, 15 USPQ2d 1333 (Fed. Cir. 1990) (parent application's disclosure of chemical species constituted 102(b) prior art against continuation-in-part (c-i-p) application on appeal, but did not provide sufficient written description to support c-i-p's claims to encompassing genus); In re Gostelli, 872 F.2d 1008, 10 USPQ2d 1614 (Fed. Cir. 1989) (foreign priority application's disclosure of chemical subgenus was insufficient written description to support genus claims of corresponding U.S. application); In re Wright, 866 F.2d 422, 9 USPQ2d 1649 (Fed. Cir. 1989) (application in "clear compliance" with §112 "written description" requirement with respect to claim limitation that microcapsules were "not permanently fixed"); Utter v. Hiraga, 845 F.2d 993, 998, 6 USPQ2d 1709, 1714 (Fed. Cir. 1988) (holding generic interference count to scool com-

for determining compliance with the "written description" requirement has been maintained throughout: "Although [the applicant] does not have to describe exactly the subject matter claimed, ... the description must clearly allow persons of ordinary skill in the art to recognize that [he or she] invented what is claimed." In re Gosteli, 872 F.2d 1008, 1012, 10 USPQ2d 1614, 1618 (Fed. Cir. 1989) (citations omitted). "[T]he test for sufficiency of support in a parent application is whether the disclosure of the application relied upon 'reasonably conveys to the artisan that the inventor had possession at that time of the later claimed subject matter.'" Ralston Purina Co. v. Far--Mar-Co, Inc., 772 F.2d 1570, 1575, 227 USPQ 177, 179 (Fed. Cir. 1985) (quoting In re Kaslow, 707 F.2d 1366, 1375, 217 USPQ 1089, 1096 (Fed. Cir. 1983)). Our cases also provide that compliance with the "written description" requirement of §112 is a question of fact, to be reviewed under the clearly erroneous standard. Gosteli, 872 F.2d at 1012, 10 USPQ2d at 1618; Utter v. Hiraga, 845 F.2d 993, 998, 6 USPQ2d 1709, 1714 (Fed. Cir. 1988).

There appears to be some confusion in our decisions concerning the extent to which the "written description" requirement is separate and distinct from the enablement requirement. For example, in *In re Wilder*, 736

pressor supported by written description of foreign priority application, the court stated, "A specification may, within the meaning of 35 U.S.C. §112 ¶1, contain a written description of a broadly claimed invention without describing all species that claim encompasses"); Kennecott Corp. v. Kyocera Int'l, Inc., 835 F.2d 1419, 5 USPQ2d 1194 a (Fed. Cir. 1987) (parent application's lack of express disclosure of inherent "equiaxed microstructure" property did not de-prive c-i-p's claims to a sintered ceramic body having said property of the benefit of parent's filing date), cert. denied, 486 U.S. 1008 (1988); Ralston Purina Co. v. Far-Mar-Co., Inc., 772 F.2d 1570, 227 USPQ 177 (Fed. Cir. 1983) (parent application's disclosure provided adequate written description support for certain claim limitations respecting protein content, temperature, and moisture content, but not others); In re Wilder, 736 F.2d 1516, 222 USPQ 369 (Fed. Cir. 1984) (broadly worded title, general description of drawing, and objects of invention of parent patent application did not adequately support reissue application claims directed to genus of indicating mechanisms for dictating machines), cert. denied, 469 U.S. 1209 (1985); In re Kaslow, 707 F.2d 1366, 217 USPQ 1089 (Fed. Cir. 1983) (claims to method of redeeming merchandise coupons, comprising step of providing an audit of coupon traffic, were not supported by specification of parent application).

19 USPQ2d

F.2d 1516, 1520, 222 Cir. 1984), cert. dei (1985), we flatly state requirement is found i is separate from the en of that provision." He we said, "The purpos scription requirement paragraph] is to stat fulfill the enablemen quirements may be v they are intertwined. Kyocera Int'l, Inc., 83 USPQ2d 1194, 1197 (denied, 486 U.S. 1008 description must comrneeded to enable the s and use the claimed in

[2] To the extent th with Wilder, we note three-judge panel of t turn prior precedentia Elec. Co. v. United Sta n.6, 2 USPQ2d 1465 1987), cert. denied, 4 This court in Wilder (it) clearly recognized. firm, that 35 USC requires a "written de tion" which is separate enablement requireme "written description" i than to merely explai use"; the applicant n reasonable clarity to t that, as of the filing c was in possession of the tion is, for purposes of tion" inquiry, whateve

The District Court's 2

We agree with the sion that drawings alor provide the "written dition" required by §112 eral earlier cases, the framing the issue in with the "written desc support this conclusion

For example, we particle is no statuto an applicant's reliance under 35 U.S.C. §120 design application if the are met." Kanga ROO dor, Inc., 778 F.2d 1: 32, 33 (Fed. Cir. 1985 er the applicant's claim tic shoes was in fact en of his earlier design a solved in Kanga ROO.

19 USPQ2d

with the "writt has been mainugh (the appliribe exactly the . the description of ordinary skill nat {he or she} n re Gosteli, 872 Q2d 1614, 1618 pmitted). "[T]he port in a parent disclosure of the sonably conveys. ntor had possesclaimed subject ² Co.. v. Far-570, 1575, 227 985) (quoting In 375, 217 USPQ). Our cases also ith the "written §112 is a quesinder the clearly li, 872 F.2d at Utter v. Hiraga, Q2d 1709, 1714

confusion in our ent to which the irement is sepaenablement re-In re Wilder, 736

description of forcourt stated, "A meaning of 35 en description of a out describing all sses"); Kennecott 335 F.2d 1419, 5 87) (parent appliosure of inherent perty did not dered ceramic body penefit of parent's U.S. 1008 (1988); 1ar-Co., Inc., 772 (Fed. Cir. 1985) re provided adepport for certain tein content, temt, but not others); 222 USPQ 369 eded title, general piects of invention id not adequately ms directed to gefor dictating ma-1209 (1985); In re JSPQ 1089 (Fed. of redeeming merstep of providing : not supported by ion).

F.2d 1516, 1520, 222 USPQ 369, 372 (Fed. Cir. 1984), cert. denied, 469 U.S. 1209 (1985), we flatly stated: "The description requirement is found in 35 U.S.C. §112 and is separate from the enablement requirement of that provision." However, in a later case we said, "The purpose of the [written] description requirement [of section 112, first paragraph] is to state what is needed to fulfill the enablement criteria. These requirements may be viewed separately, but they are intertwined." Kennecott Corp. v. Kyocera Int'l, Inc., 835 F.2d 1419, 1421, 5 USPQ2d 1194, 1197 (Fed. Cir. 1987), cert. denied, 486 U.S. 1008 (1988). "The written description must communicate that which is needed to enable the skilled artisan to make and use the claimed invention." Id.

[2] To the extent that Kennecott conflicts with Wilder, we note that decisions of a three-judge panel of this court cannot overturn prior precedential decisions. See UMC Elec. Co. v. United States, 816 F.2d 647, 652 n.6, 2 USPQ2d 1465, 1468 n.7 (Fed. Cir. 1987), cert. denied, 484 U.S. 1025 (1988). This court in Wilder (and the CCPA before it) clearly recognized, and we hereby reaffirm, that 35 USC 112, first paragraph, requires a "written description of the invention" which is separate and distinct from the enablement requirement. The purpose of the "written description" requirement is broader than to merely explain how to "make and use"; the applicant must also convey with reasonable clarity to those skilled in the art that, as of the filing date sought, he or she was in possession of the invention. The invention is, for purposes of the "written description" inquiry, whatever is now claimed.

The District Court's Analysis

We agree with the district court's conclusion that drawings alone may be sufficient to provide the "written description of the invention" required by §112, first paragraph. Several earlier cases, though not specifically framing the issue in terms of compliance with the "written description" requirement, support this conclusion.

For example, we previously stated that "[t]here is no statutory prohibition against an applicant's reliance, in claiming priority under 35 U.S.C. §120, on a disclosure in a design application if the statutory conditions are met." KangaROOS U.S.A., Inc. v. Caldor, Inc., 778 F.2d 1571, 1574, 228 USPQ 32, 33 (Fed. Cir. 1985). The question whether the applicant's claim to a pocket for athletic shoes was in fact entitled to the filing date of his earlier design application was not resolved in KangaROOS, however. Issues of

intent to deceive the PTO were involved, as well as an error of law by the district court in construing the claims of the wrong application. Id. at 1574-75, 228 USPQ at 34-35. The district court's grant of partial summary judgment of inequitable conduct was vacated and the case remanded for trial.

In re Berkman, 642 F.2d 427, 209 USPQ 45 (CCPA 1981) involved a claim under 35 USC 120 to the benefit of the filing date of two earlier design patent applications that included drawings of a carrying and storage case for tape cartridges and cassettes. The invention claimed in the later-filed utility application was an "insert" of "compartmented form," adapted for use in the interior of the storage case. Id. at 429, 209 USPQ at 47. The court characterized the dispositive issue as "whether the design applications sufficiently disclose the invention now claimed in the ... utility application at bar." Id. at 429, 209 USPQ at 46. While specifically recognizing that "drawings may be used to satisfy the disclosure requirement,' id. at 429, 209 USPQ at 46-47, the court held that Berkman's design applications "fail[ed] to disclose the claimed invention sufficiently to comply with the requirements of §112 first paragraph." As the court explained:

Nowhere in the design applications is the word "insert" used, nor is there any indication that the interiors of the cases are inserts. The drawings do not disclose how the insert can be used to accommodate either cassette or cartridge type tape enclosures. Berkman argues that one skilled in the art would readily recognize that the interiors of the cases illustrated in the design drawings are inserts. We do not agree. There is nothing shown in the drawings to lead one of ordinary skill to such a conclusion.

Id. at 430, 209 USPQ at 47.

The issue in In re Wolfensperger, 302 F.2d 950, 133 USPQ 537 (CCPA 1962) was whether the specification of the applicant's utility patent application disclosing a ball valve, and particularly the drawings thereof, supported a claim limitation that read: "having, in untensioned condition, a mean diameter corresponding approximately to the mean diameter of said chamber and a radial width smaller than the radial width of said chamber. . . . " Id. at 952, 133 USPQ at 538. The court did not agree with the Board's conclusion that the "radial width" relationship was not supported by applicant's figure 5:

The board's statement that "drawings alone cannot form the basis of a valid claim" is too broad a generalization to be valid and is, furthermore, contrary to well-settled and long-established Patent Office practice. . . . Consider, for one thing, that the sole disclosure in a design patent application is by means of a drawing. . . . For another thing, consider that the only informative and significant disclosure in many electrical and chemical patents is by means of circuit diagrams or graphic formulae, constituting "drawings" in the case. . . .

... The practical, legitimate enquiry in each case of this kind is what the drawing in fact discloses to one skilled in the art.

... The issue here is whether there is supporting "disclosure" and it does not seem, under established procedure of long standing, approved by this court, to be of any legal significance whether the disclosure is found in the specification or in the drawings so long as it is there.

Id. at 955-56, 133 USPQ at 541-42.

Employing a "new matter" analysis, the court in *In re Heinle*, 342 F.2d 1001, 145 USPQ 131 (CCPA 1965) reversed a PTO rejection of the applicant's claims to a "toilet paper core" as "including subject matter having no clear basis in the application as filed." *Id.* at 1003, 145 USPQ at 133. The claim limitation said to be without support required that the width of the apertures in the core be "approximately one-fourth of the circumference of said core." *Id.* at 1007, 145 USPQ at 136. Having reviewed the application drawings relied upon for support, the court stated:

it seems to us that [the drawings] conform to the one-fourth circumference limitation almost exactly. But the claim requires only an approximation. Since we believe an amendment to the specification to state that one-fourth of the circumference is the aperture width would not violate the rule against "new matter," we feel that supporting disclosure exists. The rejection is

therefore in error.

[3] These cases support our holding that, under proper circumstances, drawings alone may provide a "written description" of an invention as required by §112. Whether the drawings are those of a design application or a utility application is not determinative, although in most cases the latter are much more detailed. In the instant case, however, the design drawings are substantially identical to the utility application drawings.

Although we join with the district court in concluding that drawings may suffice to satisfy the "written description" requirement of \$112, we can not agree with the legal stand-

ard that the court imposed for "written description" compliance, nor with the court's conclusion that no genuine issues of material fact were in dispute.

19 USPO2d

With respect to the former, the district court stated that although the '081 design drawings in question "allowed practice" [i.e., enabled], they did not necessarily

show what the invention is, when "the invention" could be a subset or a superset of the features shown. Is the invention the semi-circular lumens? The conical tip? The ratio at which the tip tapers? The shape, size, and placement of the inlets and outlets? You can measure all of these things from the diagrams in serial '081 and so can practice the device, but you cannot tell, because serial '081 does not say, what combination of these things is "the invention", and what range of variation is allowed without exceeding the scope of the claims. To show one example of an invention, even a working model, is not to describe what is novel or important. 745 F.Supp. at 522, 17 USPQ2d at 1356.

[4] We find the district court's concern with "what the invention is" misplaced, and its requirement that the '081 drawings "describe what is novel or important" legal error. There is "no legally recognizable or protected 'essential' element, 'gist' or 'heart' of the invention in a combination patent.' Aro Mfg. Co. v. Convertible Top Replacement Co., 365 U.S. 336, 345 [128 USPQ 354] (1961). "The invention" is defined by the claims on appeal. The instant claims do not recite only a pair of semi-circular lumens, or a conical tip, or a ratio at which the tip tapers, or the shape, size, and placement of the inlets and outlets; they claim a double lumen catheter having a combination of those features. That combination invention is what the '081 drawings show. As the district court itself recognized, "what Mahurkar eventually patented is exactly what the pictures in serial '081 show. F.Supp. at 523, 17 USPQ2d at 1357.

We find the "range of variation" question, much emphasized by the parties, more troublesome. The district court stated that "although Mahurkar's patents use the same diagrams, [the claims] contain limitations that did not follow ineluctably [i.e., inevitably] from the diagrams." Id. at 524, 17 USPQ2d at 1357. As an example, the court stated (presumably with respect to independent claims 1 and 7 of the '329 patent) that

the utility patents claim a return lumen that is "substantially greater than one-half but substantially less than a full diameter" after it makes the transition from semi-circular to circular cross-section, and the drawings of serial '081 But until the utility app nothing established that that matter that the uticlaim anything other that in the diagrams...

Id. at 523, 17 USPQ2d at argues that one of ordinar looking at the '081 drawin to derive the claimed rang

The declaration of Dr. 5 mitted by Mahurkar, is concerns. Dr. Ash, a phys in nephrology (the study of diseases) and chairman of : develops and manufacture vices including catheters, of skill in the art of cat manufacture, studying the '081 application in early understood from them that must have a diameter with ed by independent claims 1 patent. Dr. Ash explains return (longer) lumen of c half that of the two lumen: produce too great a pressu a return lumen of diamete than that of the two lumen result in too great a press nary experience with the catheters would lead direct such arrangement," Ash s

Although the district corsoning "logical," it noted issued to Mahurkar disclocloser to 1.0 (U.S. Paten and exactly 0.5 (U.S.) 272,651). If these other able, the district court questial '081 necessarily excl F.Supp. at 523, 17 USPQ:

[5] The district court er hurkar's other patents into kar's later patenting of indifferent range limitations issue at hand. Application §112, first paragraph, musthe filing date. United Sta

^{&#}x27;Higher pressure drops a smaller cross-sectional areas hurkar's opening brief to this applying well-known principle (i.e., the work of Poiseuille ar. calculated that the diameter turn) lumen would have to be times the diameter of the two order to achieve proper blood sure drop. The 0.66 ratio fai claim limitation.

"written de-

the court's of material

the district

'081 design

i practice"

when "the

r a superset

ivention the

onical tip?

apers? The

f the inlets

all of these

serial '081

e, but you

l does not

e things is

ige of vari-

eeding the

ne example

g model, is

important.

's concern

laced, and

wings "de-

" legal er-

nizable or

or 'heart' n patent."

> Replace-

28 USPQ

defined by

claims do

ircular lu-

which the

placement

1 a double

nation of

invention

√. As the

what Ma-

ctly what

question,

that "al-

the same mitations

.. inevita-

524, 17

the court

.ndepend-

nt) that

rn lumen

ı one-half

iameter"

semi-cir-

and the

nore trou-

57.

at 1356.

ssarily

Vas-Cath Inc. v. Mahurkar

1119

drawings of serial '081 fall in this range. But until the utility application was filed, nothing established that they had to - for that matter that the utility patent would claim anything other than the precise ratio in the diagrams. .

Id. at 523, 17 USPQ2d at 1357. Mahurkar argues that one of ordinary skill in this art, looking at the '081 drawings, would be able

to derive the claimed range.

The declaration of Dr. Stephen Ash, submitted by Mahurkar, is directed to these concerns. Dr. Ash, a physician specializing in nephrology (the study of the kidney and its diseases) and chairman of a corporation that develops and manufactures biomedical devices including catheters, explains why one of skill in the art of catheter design and manufacture, studying the drawings of the '081 application in early 1982, would have understood from them that the return lumen must have a diameter within the range recited by independent claims 1 and 7 of the '329 patent. Dr. Ash explains in detail that a return (longer) lumen of diameter less than half that of the two lumens combined would produce too great a pressure increase, while a return lumen of diameter equal or larger than that of the two lumens combined would result in too great a pressure drop.7 "Ordinary experience with the flow of blood in catheters would lead directly away from any such arrangement," Ash states.

Although the district court found this reasoning "logical," it noted that later patents issued to Mahurkar disclose diameter ratios closer to 1.0 (U.S. Patent No. 4,584,968) and exactly 0.5 (U.S. Des. Patent No. 272.651). If these other ratios were desirable, the district court queried, "how does serial '081 necessarily exclude the [m]?" 745 F.Supp. at 523, 17 USPQ2d at 1357.

[5] The district court erred in taking Mahurkar's other patents into account. Mahurkar's later patenting of inventions involving different range limitations is irrelevant to the issue at hand. Application sufficiency under §112, first paragraph, must be judged as of the filing date. United States Steel Corp. v.

Phillips Petroleum Co., 865 F.2d 1247, 1251, 9 USPQ2d 1461, 1464 (Fed. Cir. 1989).

[6] The court further erred in applying a legal standard that essentially required the drawings of the '081 design application to necessarily exclude all diameters other than those within the claimed range. We question whether any drawing could ever do so. At least with respect to independent claims 1 and 7 of the '329 patent and claims depending therefrom, the proper test is whether the drawings conveyed with reasonable clarity to those of ordinary skill that Mahurkar had in fact invented the catheter recited in those claims, having (among several other limitations) a return lumen diameter substantially less than 1.0 but substantially greater than 0.5 times the diameter of the combined lumens. Consideration of what the drawings conveyed to persons of ordinary skill is essential. See Ralston Purina, 772 F.2d at 1575, 227 USPQ at 179 (ranges found in applicant's claims need not correspond exactly to those disclosed in parent application; issue is whether one skilled in the art could derive the claimed ranges from parent's disclosure).

Mahurkar submitted the declaration of Dr. Ash on this point; Vas-Cath submitted no technical evidence to refute Ash's conclusions. Although the district court considered Dr. Ash's declaration, we believe its import was improperly disregarded when viewed through the court's erroneous interpretation of the law. We hold that the Ash declaration and Vas-Cath's non-refutation thereof, without more, gave rise to a genuine issue of material fact inappropriate for summary disposition. See Hesston Corp. v. Sloop, 1988 U.S. Dist. LEXIS 1573, *13 (D. Kansas) (summary judgment on §112 "written description" issue inappropriate where resolution of what parent disclosure conveyed to those skilled in the art may require examination of experts, demonstrations

exhibits).

'Higher pressure drops are associated with smaller cross-sectional areas for fluid flow. Mahurkar's opening brief to this court states that by applying well-known principles of fluid mechanics (i.e., the work of Poiseuille and Hagen), it can be calculated that the diameter of the circular (return) lumen would have to be in the range of 0.66 times the diameter of the two lumens combined in order to achieve proper blood flow at equal pressure drop. The 0.66 ratio falls within the noted

claim limitation.

*The following colloquy at oral argument be-

fore the district court supports our view:

Counsel for Mahurkar: "So the only evidence that we have on this subject from people of ordinary skill in the art is that the drawings do communicate these range limitations, and given the procedural posture of this case, the

Court has to accept that evidence. ..."

District Court: * * * "And if you could have written a large number of things that were different from what was actually filed in 1984, then the diagram isn't enough.

And that seems to me something that can't be resolved by ogling the Ash declaration. It's really a pure question of law.'

Mahurkar urges that at least some of the remaining claims do not contain the range limitations discussed by the district court, and that the presence of range limitations was not a proper basis for invalidating those remaining claims. For example, claim 8 of the '141 patent requires, inter alia, a smooth conical tapered tip and "the portion of said tube between said second opening and said conical tapered tip being larger than said first lumen in the transverse direction normal to the plane of said septum." Vas-Vath counters that claim 8 of the '141 patent is just as much a "range" claim as claims 1 and 7 of the '329 patent, albeit one having only a

lower limit and no upper limit.

Absent any separate discussion of these remaining claims in the district court's opinion, we assume that the court applied to them the same erroneous legal standard. Summary judgment was therefore inappropriate as to the remaining claims. Additionally, the possibility that the '081 drawings may provide an adequate §112 "written description" of the subject matter of some of the claims but not others should have been considered. See, e.g., In re Borkowski, 422 F.2d 904, 909 n.4, 164 USPQ 642, 646 n.4 (CCPA 1970) (on review of §112 non-enablement rejection: "A disclosure may, of course, be insufficient to support one claim but sufficient to support another.") On remand, the district court should separately analyze whether the "written description" requirement has been met as to the subject matter of each claim of the '141 and '329 patents.

CONCLUSION

The district court's grant of summary judgment, holding all claims of the '329 and 141 patents invalid under 35 USC 102(b), is hereby reversed as to all claims, and the case remanded for further proceedings consistent herewith.

COSTS

Each party to bear its own costs. REVERSED and REMANDED

APPENDIX

Independent Claims of the '329 Patent:

1. A double lumen catheter having an elongated tube with a proximal first cylindrical portion enclosing first and second lumens separated by an internal divider, the proximal end of said elongated tube connecting to two separate connecting tubes communicat-

ing with the respective first and second lumens for the injection and removal of fluid, the first lumen extending from the proximal end of said elongated tube to a first opening at the distal end of said elongated tube, and the second lumen extending from the proximal end of said elongated tube to a second opening at approximately the distal end of said first cylindrical portion, wherein the improvement comprises:

said elongated tube having at its distal end a smooth conical tapered tip that smoothly merges with a second cylindrical portion of said elongated tube, and said second cylindrical portion enclosing the first lumen from the conical tapered tip to approximately the location of said second opening, wherein said second cylindrical portion has a diameter substantially greater than one-half but substantially less than a full diameter of said first cylindrical

7. A double lumen catheter having an elongated tube with a proximal first cylindrical portion enclosing first and second lumens separated by an internal divider, the proximal end of said elongated tube connecting to two separate connecting tubes communicating with the respective first and second lumens for the injection and removal of fluid, the first lumen extending from the proximal end of said elongated tube to a first opening at the distal end of said elongated tube, and the second lumen extending from the proximal end of said elongated tube to a second opening at approximately the distal end of said first cylindrical portion, wherein the

improvement comprises: said elongated tube having at its distal end a smooth conical tapered tip that smoothly merges with a second cylindrical portion of said elongated tube, and said second cylindrical portion enclosing the first lumen from the conical tapered tip to approximately the location of said second opening, said second cylindrical portion having a diameter substantially greater than one-half but substantially less than a full diameter of said first cylindrical portion, said divider in said first cylindrical portion being planar, the lumens being "D" shaped in cross-section in said first cylindrical portion, the elongated tube being provided with a plurality of holes in the region of the conical tapered tip, and said first cylindrical portion of the elongated tube smoothly merging with said second cylindrical portion of the elongated tube.

Independent Claims of the '141 Patent:

1. A double lumen catheter having an elongated tube with a proximal first cylindri-

cal portion enclosing first ar separated by an internal di mal end of said elongated tu two separate connecting tul ing with the respective firs mens for the injection and the first lumen extending from end of said elongated tube t at the distal end of said elor the second lumen extending mal end of said elongated t opening at approximately t said first cylindrical portic improvement comprises:

said elongated tube having a smooth conical tapered t merges with a second cyl of said elongated tube, ¿ cylindrical portion enclos men from the conical tai proximately the location opening, wherein said sec [sic] portion has a diamet less than a full diameter of drical portion but larger lumen in the transverse d to the plane of said flat di-

7. A double lumen cathete elongated cylindrical tube en second lumens separated by nal internal divider formed part of said tube, said tube a forming said first and second -cylindrical cavities within proximal end of said elongate ing to two separate connecting nicating with the respective lumens for the injection and r the first lumen extending fro end of said elongated tube to at the distal end of said elong distal end of said tube forr conical tapered tip and the extending from the proximal elongated tube to a second of substantial distance away f opening toward the proxima tube, the distal end of said joined to the outside wall of s of said second opening, and t of said tube forming a smo between said conical tapere outer circumference of the tu said second opening, said tr larger than said first lumen in direction normal to the plan

divider. 8. A double lumen catheter elongated cylindrical tube ha dinal planar septum of one-t tion with said tube, said septu interior of said tube into fir d second luoval of fluid, he proximal first opening ed tube, and in the proxito a second listal end of wherein the

its distal end hat smoothly rical portion said second the first lued tip to apsaid second d cylindrical ntially greatally less than t cylindrical

r having an first cylindricond lumens er, the proxiconnecting to communicat-1d second lunoval of fluid, the proximal first opening ted tube, and om the proxie to a second distal end of wherein the

t its distal end that smoothly drical portion i said second g the first lured tip to apf said second irical portion itially greater lly less than a ylindrical porest cylindrical lumens being n in said first gated tube beof holes in the d tip, and said the elongated h said second ongated tube.

11 Patent:

ter having an d first cylindrical portion enclosing first and second lumens separated by an internal divider, the proximal end of said elongated tube connecting to two separate connecting tubes communicating with the respective first and second lumens for the injection and removal of fluid, the first lumen extending from the proximal end of said elongated tube to a first opening at the distal end of said elongated tube, and the second lumen extending from the proximal end of said elongated tube to a second opening at approximately the distal end of said first cylindrical portion, wherein the improvement comprises:

19 USPO2d

said elongated tube having at its distal end a smooth conical tapered tip that smoothly merges with a second cylindrical portion of said elongated tube, and said second cylindrical portion enclosing the first lumen from the conical tapered tip to approximately the location of said second opening, wherein said second sylindrical [sic] portion has a diameter substantially less than a full diameter of said first cylindrical portion but larger than said first lumen in the transverse direction normal

to the plane of said flat divider. 7. A double lumen catheter comprising an elongated cylindrical tube enclosing first and second lumens separated by a flat longitudinal internal divider formed as an integral part of said tube, said tube and said divider forming said first and second lumens as semi--cylindrical cavities within said tube, the proximal end of said elongated tube connecting to two separate connecting tubes communicating with the respective first and second lumens for the injection and removal of fluid, the first lumen extending from the proximal end of said elongated tube to a first opening at the distal end of said elongated tube, said distal end of said tube forming a smooth conical tapered tip and the second lumen extending from the proximal end of said elongated tube to a second opening spaced a substantial distance away from said first opening toward the proximal end of said tube, the distal end of said divider being joined to the outside wall of said tube distal of said second opening, and the outside wall of said tube forming a smooth transition between said conical tapered tip and the outer circumference of the tube proximal of said second opening, said transition being larger than said first lumen in the transverse direction normal to the plane of said flat

8. A double lumen catheter comprising an elongated cylindrical tube having a longitudinal planar septum of one-piece construction with said tube, said septum dividing the interior of said tube into first and second

lumens, said lumens being D-shaped in cross--section, the proximal end of said tube connecting to two separate tubes communicating with the respective first and second lumens for the injection and removal of fluids, the lumen extending from the proximal end of said tube to a first lumen extending from the proximal end of said tube to a first opening at the distal end of said tube, and the second lumen extending from the proximal end of said tube to a second opening axially spaced from the distal end of said tube, said tube having at its distal end a smooth conical tapered tip that merges with the cylindrical surface of said tube, said first lumen, including the internal wall thereof formed by said septum extending continuously through said conical tapered tip, and the portion of said tube between said second opening and said conical tapered tip being larger than said first lumen in the transverse direction normal to the plane of said septum.

13. A double lumen catheter comprising an elongated cylindrical tube enclosing first and second lumens separated by a flat longitudinal internal divider formed as an integral part of said tube, said tube and said divider forming said first and second lumens as semi-cylindrical cavities within said tube, the proximal end of said elongated tube connecting to two separate connecting tubes communicating with he [sic] respective first and second lumens for the injection and removal of fluid, the first lumen extending from the proximal end of said elongated tube to a first opening at the distal end of said elongated tube, said distal end of said tube forming a smooth conical tapered tip defining the distal portion of said first lumen and said first opening, said first opening and an adjacent portion of said first lumen having a circular transverse cross-sectional configuration, and the second lumen extending from the proximal end of said elongated tube to a second opening spaced a substantial distance away from said first opening toward the proximal end of said tube, the inside walls of said tube forming a smooth transition between said semicylindrical and circular transverse cross-sectional configurations of said first lumen, the outside dimension of said transition being larger than said first lumen in the transverse direction normal to the plane of said flat divider.

District Court, N.D. Illinois

Spraying Systems Co. v. Delavan Inc. No. 89 C 8447

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.